

Certificate of Analysis

Produced: Mar 05, 2025

Sample: CBG Isolate (Isolate) • Client: Red Mesa Science and Refining • Batch: Pass



Batch No.: R250225MS23MS53
Matrix: Isolate
Sample ID: ICC-250303-44-001
Collected on: Mar 04, 2025
Received on: Mar 04, 2025
Sample Size: 13 g
Received By: Stephanie Paule

Batch Result: Pass			
Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview	
Total THC:	0.00 %
Total CBD:	0.00 %
Total Cannabinoids:	98.9 %
Sum of Cannabinoids:	98.9 %

POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Mar 05, 2025

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)
CBC	ND	ND	0.336/1.01	CBT	ND	ND	0.146/0.510
CBD	ND	ND	0.103/0.510	Δ ⁸ -THC	ND	ND	0.0824/0.510
CBDA	ND	ND	0.246/0.737	Δ ⁹ -THC	ND	ND	0.136/0.510
CBDV	ND	ND	0.0815/0.510	THCA	ND	ND	0.187/0.561
CBG	98.9	989	0.116/0.510	THCV	ND	ND	0.0629/0.510
CBGA	ND	ND	0.181/0.544	Total THC**	ND	ND	
CBL	ND	ND	0.0802/0.510	Total CBD**	ND	ND	
CBN	ND	ND	0.116/0.510				

** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.
Compliance requirements for this test are taken from California CDPH Hemp regulations.

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Mar 05, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0278/0.0848	Pass	Hexane	290	ND	0.500/1.50	Pass
Acetone	5000	25.5	8.20/24.7	Pass	Isopropyl alcohol	5000	ND	11.5/34.6	Pass
Acetonitrile	410	ND	8.40/25.1	Pass	Methanol	3000	ND	18.4/55.3	Pass
Benzene	1	ND	0.400/1.10	Pass	Methylene chloride	1	ND	4.00/11.9	Pass
Butane	5000	ND	9.60/28.7	Pass	Pentane	5000	395	0.800/2.50	Pass
Chloroform	1	ND	0.00600/0.0180	Pass	Propane	5000	ND	7.90/23.8	Pass
Ethanol	5000	ND	4.80/14.4	Pass	Toluene	890	ND	0.400/1.20	Pass
Ethyl acetate	5000	ND	14.3/42.8	Pass	Trichloroethylene	1	ND	0.00300/0.0242	Pass
Ethylene oxide	1	ND	6.50/19.6	Pass	o-Xylene		ND	8.80/26.3	N/A
Ethyl ether	5000	ND	6.80/20.4	Pass	p- and m-Xylene		ND	1.60/4.90	N/A
Heptane	5000	ND	0.400/1.20	Pass	Total xylenes	2170	ND	0.0168/0.143	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Mar 05, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Mar 05, 2025

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Salmonella spp.	ND	Pass	Shiga toxin-producing E. coli	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Mar 05, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.96/8.98	N/A	Aflatoxin G2		ND	2.07/6.26	N/A
Aflatoxin B2		ND	3.36/10.2	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.73/5.25	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

Compliance requirements for this test are taken from California Cannabis regulations.



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Mar 05, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Malathion	0.5	ND	0.00313/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Metalaxyl	2	ND	0.00467/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Acequinocyl	0.1	ND	0.0150/0.0456	Pass	Methomyl	1	ND	0.00879/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Bifenthrin	3	ND	0.00439/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Boscalid	0.1	ND	0.00809/0.0300	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Diazinon	0.1	ND	0.00475/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spinosad	0.1	ND	0.000830/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Imazalil	Any amt	ND	0.00898/0.0300	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Imidacloprid	5	ND	0.0109/0.0331	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Mar 05, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from California Cannabis regulations.

